NAME

chghist — change the history entry of an SCCS delta

SYNOPSIS

chghist [−r*SID*] name ...

DESCRIPTION

Chghist changes the history information, for the delta specified by the SID, of each named SCCS file.

If a directory is named, *chghist* behaves as though each file in the directory were specified as a named file, except that non-SCCS files (last component of the pathname does not begin with "s."), and unreadable files, are silently ignored. If a name of "−" is given, the standard input is read; each line of the standard input is taken to be the name of an SCCS file to be processed. Again, non-SCCS files, and unreadable files, are silently ignored.

The exact permissions necessary to change the history entry of a delta are documented in the *SCCS/PWB User's Manual*. Simply stated, they are either (1) if you made a delta, you can change its history entry; or (2) if you own the file and directory you can change a history entry.

The new history is read from the standard input. If the standard input is a terminal, the program will prompt with "MRs? " (only if the file has a flag, see *admin*(1S)) and with "comments? ". If the standard input is not a terminal, no prompt(s) is (are) printed. A newline preceded by a "\" is read as a blank, and may be used to make the entering of the history more convenient. The first newline not preceded by a "\" terminates the response for the corresponding prompt.

When the history entry of a delta table record (see *prt*(1S)) is changed, all old MR entries (if any) are converted to comments, and both these and the original comments are preceded by a comment line that indicates who made the change and when it was made. The new information is entered preceding the old. No other changes are made to the delta table entry.

FILES

x-file   (see *delta* (1S))

z-file   (see *delta* (1S))

SEE ALSO

admin(1S), delta(1S), get(1S), help(1S), prs(1S), sccsfile(5)
Source Code Control System User's Guide by L. E. Bonanni and C. A. Salemi.

DIAGNOSTICS

Use *help* (1S) for explanations.